

- 6 Amant F, Berveiller P, Boere IA, et al. Gynecologic cancers in pregnancy: guidelines based on a third international consensus meeting. *Ann Oncol* 2019; **30**: 1601–12.
- 7 Lishner M, Avivi I, Apperley JF, et al. Hematologic malignancies in pregnancy: management guidelines from an international consensus meeting. *J Clin Oncol* 2016; **34**: 501–08.
- 8 Loibl S, Schmidt A, Gentilini O, et al. Breast cancer diagnosed during pregnancy: adapting recent advances in breast cancer care for pregnant patients. *JAMA Oncol* 2015; **1**: 1145–53.
- 9 Heimovaara JH, Boere IA, de Haan J, et al. Ten-year experience of a national multidisciplinary tumour board for cancer and pregnancy in the Netherlands. *Eur J Cancer* 2022; **171**: 13–21.



COP27 Climate Change Conference: urgent action needed for Africa and the world

Published Online
 October 19, 2022
[https://doi.org/10.1016/S1470-2045\(22\)00645-3](https://doi.org/10.1016/S1470-2045(22)00645-3)
 See [Perspectives](#) page 1497

Wealthy nations must step up support for Africa and vulnerable countries in addressing past, present, and future impacts of climate change. The 2022 report of the Intergovernmental Panel on Climate Change paints a dark picture of the future of life on earth, characterised by ecosystem collapse, species extinction, and climate hazards such as heatwaves and floods.¹ These are all linked to physical and mental health problems, with direct and indirect consequences of increased morbidity and mortality. To avoid these catastrophic health effects across all regions of the globe, there is broad agreement—as 231 health journals argued together in 2021²—that the rise in global temperature must be limited to less than 1.5°C compared with pre-industrial levels.

Although the Paris Agreement of 2015 outlines a global action framework that incorporates providing climate finance to developing countries, this support has yet to materialise.³ COP27 is the fifth Conference of the Parties (COP) to the United Nations Framework Convention on Climate Change to be organised in Africa since its inception in 1995. Ahead of this meeting, we—as health journal editors from across the continent—call for urgent action to ensure it is the COP that finally delivers climate justice for Africa and vulnerable countries. This is essential not just for the health of those countries, but also for the health of the whole world.

Africa has suffered disproportionately from the climate crisis, although it has done little to cause the crisis. The climate crisis has had an impact on the environmental and social determinants of health across Africa, leading to devastating health effects.⁴ Impacts on health can result directly from environmental shocks and indirectly through socially mediated effects.⁵ Climate-change-related risks in Africa include flooding, drought, heatwaves, reduced food production, and reduced labour productivity.⁶

Droughts in sub-Saharan Africa have tripled between 1970–79 and 2010–19.⁷ In 2018, devastating cyclones impacted 2.2 million people in Malawi, Mozambique, and Zimbabwe.⁷ In west and central Africa, severe flooding resulted in mortality and forced migration from loss of shelter, cultivated land, and livestock.⁸ Changes in vector ecology brought about by floods and damage to environmental hygiene has led to increases in diseases across sub-Saharan Africa, with rises in malaria, dengue fever, Lassa fever, Rift Valley fever, Lyme disease, Ebola virus disease, West Nile virus, and other infections.^{9,10} Rising sea levels reduce water quality, leading to water-borne diseases, including diarrhoeal diseases, a leading cause of mortality in Africa.⁹ Extreme weather damages water and food supply, increasing food insecurity and malnutrition, which causes 1.7 million deaths annually in Africa.¹¹ According to the Food and Agriculture Organization of the United Nations, malnutrition has increased by almost 50% since 2012, owing to the central role agriculture has in African economies.¹² Environmental shocks and their knock-on effects also cause severe harm to mental health.¹³ In all, it is estimated that the climate crisis has destroyed a fifth of the gross domestic product of the countries most vulnerable to climate shocks.¹⁴

The damage to Africa should be of supreme concern to all nations. This is partly for moral reasons. It is highly unjust that the most impacted nations have contributed the least to global cumulative emissions, which are driving the climate crisis and its increasingly severe effects. North America and Europe have contributed 62% of carbon dioxide emissions since the Industrial Revolution, whereas Africa has contributed only 3%.¹⁵

Yet it is not just for moral reasons that all nations should be concerned for Africa. The fight against the climate crisis needs all hands on deck. The acute and chronic impacts of the climate crisis create problems such as poverty, infectious disease, forced migration,

For COP27 see <https://cop27.eg/#/>

and conflict that spread through globalised systems.^{7,16} These knock-on impacts affect all nations. COVID-19 served as a wake-up call to these global dynamics and it is no coincidence that health professionals have been active in identifying and responding to the consequences of growing systemic risks to health. But the lessons of the COVID-19 pandemic should not be limited to pandemic risk.^{17,18} Instead, it is imperative that the suffering of front-line nations, including those in Africa, be the core consideration at COP27; in an interconnected world, leaving countries to the mercy of environmental shocks creates instability that has severe consequences for all nations.

The primary focus of climate summits remains to rapidly reduce emissions so that global temperature rises are kept to below 1.5°C. This will limit the harm. But, for Africa and other vulnerable regions, this harm is already severe. Achieving the promised target of providing US\$100 billion of climate finance a year is now globally critical if we are to forestall the systemic risks of leaving societies in crisis. This can be done by ensuring these resources focus on increasing resilience to the existing and inevitable future impacts of the climate crisis, as well as on supporting vulnerable nations to reduce their greenhouse gas emissions: a parity of esteem between adaptation and mitigation. These resources should come through grants not loans, and be urgently scaled up before the current review period of 2025. They must put health-system resilience at the forefront, as the compounding crises caused by the climate crisis often manifest in acute health problems. Financing adaptation will be more cost-effective than relying on disaster relief.

Some progress has been made on adaptation in Africa and around the world, including early warning systems and infrastructure to defend against extremes. But front-line nations are not compensated for impacts from a crisis they did not cause. This is not only unfair, but also drives the spiral of global destabilisation, as nations pour money into responding to disasters, but can no longer afford to pay for greater resilience or to reduce the root problem through emissions reductions. A financing facility for loss and damage must now be introduced, providing additional resources beyond those given for mitigation and adaptation. This must go beyond the failures of COP26 where the suggestion of such a facility was downgraded to “a dialogue”.¹⁹

The climate crisis is a product of global inaction, and comes at great cost not only to disproportionately impacted African countries, but also to the whole world. Africa is united with other front-line regions in urging wealthy nations to finally step up, if for no other reason than that the crises in Africa will sooner rather than later spread and engulf all corners of the globe, by which time it may be too late to effectively respond. If so far wealthy countries have failed to be persuaded by moral arguments, then hopefully their self-interest will now prevail.

CZ receives consulting fees from the UK Health Alliance on Climate Change. PY receives honoraria from Novartis, bioMérieux, and Pfizer and receives advisory board fees from Pfizer and fees for serving on a DSMB from the US National Heart, Lung, and Blood Institute all unrelated to the topic of this Comment. JM is an unpaid Board member of the International Working Group for Health systems strengthening unrelated to the topic of this Comment. DO-A receives advisory board fees from Inovio Pharmaceuticals and is a member of the Board of Directors of GLICO Healthcare all unrelated to the topic of this Comment. The other authors declare no competing interests.

Copyright © 2022 The Author(s). Published by Elsevier Ltd. This is an Open Access article under the CC BY 4.0 license.

Lukoye Atwoli, Editor-in-Chief, East African Medical Journal; Gregory E Erhabor, Editor-in-Chief, West African Journal of Medicine; Aiah A Gbakima, Editor-in-Chief, Sierra Leone Journal of Biomedical Research; Abraham Haileamlak, Editor-in-Chief, Ethiopian Journal of Health Sciences; Jean-Marie Kayembe Ntumba, Chief Editor, Annales Africaines de Medecine; James Kigera, Editor-in-Chief, Annals of African Surgery; Laurie Laybourn-Langton, University of Exeter, UK; Robert Mash, Editor-in-Chief, African Journal of Primary Health Care & Family Medicine; Joy Muhia, London School of Medicine & Tropical Hygiene, UK; Fhumulani Mavis Mulaudzi, Editor-in-Chief, Curationis; David Ofori-Adjei, Editor-in-Chief, Ghana Medical Journal; Friday Okonofua, Editor-in-Chief, African Journal of Reproductive Health; Arash Rashidian, Director of Science, Information and Dissemination, and Maha El-Adawy, Director of Health Promotion, WHO, Eastern Mediterranean Health Journal; Siaka Sidibé, Director of Publication, Mali Médical; Abdelmadjid Snouber, Managing Editor, Journal de la Faculté de Médecine d'Oran; James Tumwine, Editor-in-Chief, African Health Sciences; Mohammad Sahar Yassien, Editor-in-Chief, Evidence-Based Nursing Research; Paul Yonga, Managing Editor, East African Medical Journal; Lilia Zakhama, Editor-in-Chief, La Tunisie Médicale; Chris Zielinski, University of Winchester, UK
chris.zielinski@ukhealthalliance.org

This Comment is being published simultaneously in multiple journals (appendix). The full list of journals and supporting journals can be found on the BMJ website.

- 1 Intergovernmental Panel on Climate Change. Climate change 2022: impacts, adaptation and vulnerability. Working Group II Contribution to the IPCC Sixth Assessment Report. 2022. <https://www.ipcc.ch/report/ar6/wg2/> (accessed Oct 4, 2022).
- 2 Atwoli L, Baqui AH, Benfield T, et al. Call for emergency action to limit global temperature increases, restore biodiversity, and protect health. *Lancet* 2021; 398: 939–41.

See Online for appendix

For the full list of journals and supporting journals see <https://www.bmj.com/content/full-list-authors-and-signatories-climate-emergency-editorial-october-2022>

- 3 UN. The Paris Agreement. 2015. <https://www.un.org/en/climatechange/paris-agreement> (accessed Sept 12, 2022).
- 4 Climate Investment Funds. Climate change and health in sub-Saharan Africa: the case of Uganda. 2020. https://www.climateinvestmentfunds.org/sites/cif_enc/files/knowledge-documents/final_chasa_report_19may2020.pdf (accessed Sept 26, 2022).
- 5 WHO. Strengthening health resilience to climate change. Geneva: World Health Organization, 2016.
- 6 Trisos CH, Adelekan IO, Totin E, et al. Africa. In: Intergovernmental Panel on Climate Change. Climate change 2022: impacts, adaptation, and vulnerability. 2022. <https://www.ipcc.ch/report/ar6/wg2/> (accessed Sept 26, 2022).
- 7 World Bank. Climate change adaptation and economic transformation in sub-Saharan Africa. Washington, DC: World Bank, 2021.
- 8 Opoku SK, Leal Filho W, Hubert F, Adejumo O. Climate change and health preparedness in Africa: analysing trends in six African countries. *Int J Environ Res Public Health* 2021; **18**: 4672.
- 9 Evans M, Munslow B. Climate change, health, and conflict in Africa's arc of instability. *Perspect Public Health* 2021; **141**: 338–41.
- 10 Stawicki SP, Papadimos TJ, Galwankar SC, Miller AC, Firstenberg MS. Reflections on climate change and public health in Africa in an era of global pandemic. Contemporary developments and perspectives in international health security, vol 2. London: IntechOpen, 2021.
- 11 African Climate Policy Centre. Climate change and health in Africa: issues and options. 2013. https://archive.uneca.org/sites/default/files/PublicationFiles/policy_brief_12_climate_change_and_health_in_africa_issues_and_options.pdf (accessed Sept 12, 2022).
- 12 UN. Climate change is an increasing threat to Africa. UN Climate Change News. 2020. <https://unfccc.int/news/climate-change-is-an-increasing-threat-to-africa> (accessed Sept 12, 2022).
- 13 Atwoli L, Muhia J, Merali Z. Mental health and climate change in Africa. *BJPsych International* 2022; published online June 17. <https://doi.org/10.1192/bji.2022.14>.
- 14 Vulnerable Twenty Group. Climate vulnerable economies loss report. Switzerland: Vulnerable Twenty Group, 2020.
- 15 Ritchie H. Who has contributed most to global CO2 emissions? Our World in Data. 2019. <https://ourworldindata.org/contributed-most-global-co2> (accessed Sept 12, 2022).
- 16 Bilotta N, Botti F. Paving the way for greener central banks: current trends and future developments around the globe. Rome: Edizioni Nuova Cultura for Istituto Affari Internazionali, 2022.
- 17 WHO. COP26 special report on climate change and health: the health argument for climate action. Geneva: World Health Organization, 2021.
- 18 Al-Mandhari A, Al-Yousfi A, Malkawi M, El-Adawy M. "Our planet, our health": saving lives, promoting health and attaining well-being by protecting the planet—the Eastern Mediterranean perspectives. *East Mediterr Health J* 2022; **28**: 247–48.
- 19 Evans S, Gabbatiss J, McSweeney R, et al. COP26: key outcomes agreed at the UN climate talks in Glasgow. Carbon Brief. 2021. <https://www.carbonbrief.org/cop26-key-outcomes-agreed-at-the-un-climate-talks-in-glasgow/> (accessed Sept 12, 2022).